SCREENING SITE INSPECTION REPORT
FOR
GMC FISHER BODY DIV ELYRIA PLT
ELYRIA, OHIO
U.S. EPA ID: OHDOO4201091
SS ID: NONE
TDD: F05-9004-011
PAN: F0H0331SB

US EPA RECORDS CENTER REGION 5

SEPTEMBER 23, 1991



recycled paper

ecology and environment, inc.

111 WEST JACKSON BLVD., CHICAGO, ILLINOIS 60604, TEL 312-663-9415 International Specialists in the Environment SIGNATURE PAGE
FOR

SCREENING SITE INSPECTION REPORT
FOR

GMC FISHER BODY DIV ELYRIA PLT
ELYRIA, OHIO
U.S. EPA ID: OHDOO4201091
SS ID: NONE
TDD: F05-9004-011
PAN: F0H0331SB

Prepared	by:	Robert Selevali for BS Date: 10/4/91 Brad Stimple FIT Report Preparer Ecology and Environment, Inc.
Reviewed	by:	Cynthia Schultz FIT Unit Manager Ecology and Environment, Inc.
Approved	byz	Jerome D. Oskyarek FIT Office Manager Ecology and Environment, Inc.

TABLE OF CONTENTS

Section		Page
1	INTRODUCTION	1-1
2	SITE BACKGROUND	2-1
	2.1 INTRODUCTION	2-1
	2.2 SITE DESCRIPTION	2-1
	2.3 SITE HISTORY	2-1
3	SCREENING SITE INSPECTION PROCEDURES AND FIELD	
	OBSERVATIONS	3-1
	3.1 INTRODUCTION	3-1
	3.2 SITE REPRESENTATIVE INTERVIEW	3-1
	3.3 RECONNAISSANCE INSPECTION	3-1
	3.4 SAMPLING PROCEDURES	3–5
4	ANALYTICAL RESULTS	. 4–1
5	DISCUSSION OF MIGRATION PATHWAYS	5-1
	5.1 INTRODUCTION	5–1
	5.2 GROUNDWATER	5-1
	5.3 SURFACE WATER	5-3
	5.4 AIR	5-4
	5.5 FIRE AND EXPLOSION	5-4
	5.6 DIRECT CONTACT	5-4
6	REFERENCES	6-1

Table of Contents (Cont.)

Appendix		Page	
A	SITE 4-MILE RADIUS MAP	A-1	
В	U.S. EPA FORM 2070-13	B-1	·
С	FIT SITE PHOTOGRAPHS	C-1	•
D	U.S. EPA TARGET COMPOUND LIST AND TARGET ANALYTE LIST QUANTITATION/DETECTION LIMITS	D-1	
E	SOIL BORING LOGS OF THE SITE	E-1	
F			PRIVACY

LIST OF FIGURES

Figure		Page
2-1	Site Location	2-2
3-1	Site Features	3-3
3-2	Monitoring Well Locations	3-4
3-3	Soil Sampling Locations	3-6

LIST OF TABLES

Table		Page
	•	
4-1	Results of Chemical Analysis of FIT-Collected	
′	Soil Samples	4-2

1. INTRODUCTION

Ecology and Environment, Inc., Field Investigation Team (FIT) was tasked by the United States Environmental Protection Agency (U.S. EPA) to conduct a screening site inspection (SSI) of the GMC Fisher Body Div Elyria Plt (GMC-FBD) site under contract number 68-01-7347.

The site was initially discovered by the Ohio Environmental Protection Agency (OEPA) Solid Waste Program on May 15, 1984, during a preliminary site inspection.

The site was evaluated in the form of a preliminary assessment (PA) that was submitted to U.S. EPA. The PA was prepared by Catherine McCord, OEPA, Northeast District Office, and is dated March 30, 1984 (U.S. EPA 1984).

FIT prepared an SSI work plan for the GMC-FBD site under technical directive document (TDD) F05-9004-011, issued on April 16, 1990. The SSI work plan was approved by U.S. EPA on July 23, 1990. The SSI of the GMC-FBD site was conducted on September 18, 1990, under amended TDD F05-9004-011, issued on August 21, 1990.

The FIT SSI included an interview with site representatives, a reconnaissance inspection of the site, and the collection of seven soil samples.

The purposes of an SSI have been stated by U.S. EPA in a directive outlining Pre-Remedial Program strategies. The directive states:

All sites will receive a screening SI to 1) collect additional data beyond the PA to enable a more refined preliminary HRS [Hazard Ranking System] score, 2) establish priorities among sites most likely to qualify for

the NPL [National Priorities List], and 3) identify the most critical data requirements for the listing SI step. A screening SI will not have rigorous data quality objectives (DQOs). Based on the refined preliminary HRS score and other technical judgement factors, the site will then either be designated as NFRAP [no further remedial action planned], or carried forward as an NPL listing candidate. A listing SI will not automatically be done on these sites, however. First, they will go through a management evaluation to determine whether they can be addressed by another authority such as RCRA [Resource Conservation and Recovery Act].... Sites that are designated NFRAP or deferred to other statutes are not candidates for a listing SI.

The listing SI will address all the data requirements of the revised HRS using field screening and NPL level DQOs. It may also provide needed data in a format to support remedial investigation work plan development. Only sites that appear to score high enough for listing and that have not been deferred to another authority will receive a listing SI. (U.S. EPA 1988)

U.S. EPA Region V has also instructed FIT to identify sites during the SSI that may require removal action to remediate an immediate human health or environmental threat.

SITE BACKGROUND

2.1 INTRODUCTION

This section presents information obtained from SSI work plan preparation, the site representative interview, and the reconnaissance inspection of the site.

2.2 SITE DESCRIPTION


The GMC-FBD site is approximately 85 acres in size, and contains three inactive disposal areas and an engineered landfill. The site is part of a 226-acre property. The property has been divided into two parcels, A and B. Parcel B is the site; parcel A consists of the remaining 141 acres of the property (see Figure 2-1 for site location).

The site address is 1400 Lowell Street, Elyria, Ohio 44036. The GMC-FBD site is located in a rural area on the western edge of the city of Elyria, in Lorain County, along Conrail Railroad tracks, 3/4 miles west of the Black River.

A 4-mile radius map of the GMC-FBD site is provided in Appendix A.

2.3 SITE HISTORY

The GMC-FBD site is currently owned by General Motors Corporation. In 1946, General Motors built a plant on parcel A of the property, and began manufacturing parts for the automotive industry in 1952. Prior to purchase by General Motors, the site was used as a cabbage field. FIT files do not contain information concerning previous owners. In 1984, the plant was assigned to the Fisher Guide Division of General Motors.



SOURCE: USGS, Lorain, OH Quadrangle, 7.5 Minute Series, 1969, photorevised 1979; Oberlin, OH Quadrangle, 7.5 Minute Series, 1969, photorevised 1978; Avon, OH Quadrangle, 7.5 Minute Series, 1963, photorevised 1979; Grafton, OH Quadrangle, 7.5 Minute Series, 1963, photorevised 1979.




FIGURE 2-1 SITE LOCATION

. ::.

The facility closed in July 1988. Internal political problems were blamed for the closing of the plant (Kienle 1990).

In October 1989, General Motors sold parcel A to the Northern Ohio Industrial Park. The plant building is currently being used for office space. General Motors still owns parcel B, the site (Kienle 1990).

When the plant first opened, the products included auto grills, wheel covers, die casted parts, and instrument panels. Beginning in 1984, the products manufactured at the plant included seat cushions, metal seat frames, sun roof assemblies, and exterior/interior trim items. Electroplating has been a major process used in the manufacturing of many of these products. During operation, the General Motors plant employed approximately 2,080 persons as an annual average (Kienle 1990).

While in operation, four basic types of wastewater were generated at the plant: 1) acid/alkali or metal bearing wastewater; 2) chromic acid bearing wastewater; 3) cyanide based wastes and rinses; and 4) cleaner, presoak based wastes (Fisco 1970). General Motors also operated a wastewater treatment plant (WWTP) on-site to neutralize and treat any wastewater from the various plating lines at the plant. From 1956 until 1988 the water effluent from the WWTP was discharged into an Elyria city storm sewer under a National Pollution Discharge Elimination System (NPDES) permit (OEPA 1985). It is not known where wastewater effluent was discharged prior to 1956. The WWTP is located on parcel A, next to a fence between parcels A and B. The WWTP has been decontaminated and cleaned, and is currently sitting idle. The storm sewer, known as outfall 001, discharged into the Black River approximately 3/4 miles east of the GMC-FBD site. Minor NPDES permit violations were documented by OEPA and plant officials, but each was adequately corrected and no further action was necessary (Bush 1978).

The wastewater sludges that were generated at the plant have been classified as RCRA waste code FOO6. These electroplating treatment sludges primarily consisted of cadmium, chromium, nickel, and cyanide (U.S. EPA 1984). Prior to the 1970s, the sludges were settled out in thickening tanks and removed for off-site disposal (Fisco 1970). Beginning in the early 1970s, treatment sludges were placed into three 200 foot by 500 foot settling basins located on parcel B, the site. These

unlined surface impoundments had a total capacity of amroximately 40,000 cubic yards (Mustafa 1990a).

On July 31, 1984, the plant discontinued the majority of its electroplating operations, reducing the sludge loading of the WWTP. General Motors then incorporated filter press technology for sludge dewatering, eliminating the need for surface impoundments at the site. A RCRA closure plan was submitted in 1986 for the closure of the surface impoundments. The plan was approved by OEPA on August 7, 1987. The plan suggested that the surface impoundments be closed and converted into an engineered landfill for hazardous waste, with a double, clay and synthetic liner with primary and secondary leachate treatment systems. The sludge in the surface impoundments was stabilized using cement kiln dust, excavated, and placed in the landfill, which was constructed where two of the surface impoundments had been located (Mustaia 1990a).

In anticipation of the closure of the facility, General Motors included in its 1986 closure plan the clean closure of a drum storage area and two toluene diisocyanate (TDI) treatment tanks. which were located on parcel A. The closure plan also included a required 30 years of groundwater monitoring of the hazardous waste landfill. FIT file information indicates that final postclosure certification under RCRA has not yet been granted for the landfill. OEPA will moduct postclosure inspections as required (Mustafa 1990).

At least 11 monitoring wells surround the hazardous waste landfill, many of which existed when the surface impoundments were still in use. Exact dates of all monitoring well installations are me known to FIT at this time. Nor is it known who drilled the wells.

In June 1981, General Motors filed a Notification of Hazardous Waste Site form, pursuant to section 103(c) of the Comprehensive Environmental Response, Compensation, and Liability Act. The form indicated that heavy metals and bases from plating/polishing operations were disposed of in a 20-acre area on-site from 1950 tr 1977 (U.S. EPA 1981). Buried drums were also indicated in the form. The 20-acre area refers to three disposal areas on-site, north and east of the engineered landfill. These disposal areas are known as A, B, and E. Unlike the engineered landfill, these disposal areas have never been regulated under RCRA (Mustafa 1990a). It does not appear that smil sampling has

ever been conducted in or around disposal areas A, B, or C prior to the SSI conducted by FIT.

Area A covers approximately 4.8 acres, and was used for the open burning of plant trash from 1947 to 1974. Area A is currently vegetated. FIT file information does not indicate what was disposed of in this area. Area B covers approximately 5.7 acres and was used for the disposal of WWTP sludges from 1956 to 1967. The estimated volume of area B is 25,000 cubic yards. This area is currently covered and vegetated. Area C covers approximately 6.5 acres and was used for the disposal of WWTP sludges from 1972 to 1977. The estimated volume of area C is 40,000 cubic yards. This area is currently vegetated (Mustafa 1990a).

Most of General Motor's closure efforts have concentrated on the monitoring of the hazardous waste landfill. It is not known what plans, if any, General Motors has for former disposal areas A, B, and C. No further remedial actions have been taken concerning the GMC-FBD site.

3. SCREENING SITE INSPECTION PROCEDURES AND FIELD OBSERVATIONS

3.1 INTRODUCTION

This section outlines procedures and observations of the SSI of the GMC-FBD site. Individual subsections address the site representative interview, reconnaissance inspection, and sampling procedures. Rationales for specific FIT activities are also provided. The SSI was conducted in accordance with the U.S. EPA-approved work plam.

The U.S. EPA Potential Hazardous Waste Site Inspection Report (Form 2070-13) for the GMC-FBD site is provided in Appendix B.

3.2 SITE REPRESENTATIVE INTERVIEW

Cynthia Schultz, FIT team leader, conducted an interview with Philip Kienle, Senior Environmental Engineer, General Motors, and Lowell Metzger, O.H. Materials, environmental consultants, of Findlay, Ohio. The interview took place on September 18, 1990, at 8:00 z.m. at the GMC-FBD site located at 1400 Lowell Street, Elyria, Ohio 44036. The interview was conducted to gain information concerning the site to aid FIT in conducting SSI activities.

3.3 RECONNAISSANCE INSPECTION

Following the site representative interview, FIT conducted a reconnaissance inspection of the GMC-FBD site and surrounding area in accordance with Ecology and Environment, Inc. (E & E), health and safety guidelines. The reconnaissance inspection began at 10:00 a.m., September 18, 1990, and included a walk-through of the site to determine appropriate health and safety requirements for conducting on-site

activities and to make observations to aid in characterizing the site. FIT also determined sampling locations during the reconnaissance inspection. FIT was accompanied by site representatives during the reconnaissance inspection.


Reconnaissance Inspection Observations. The GMC-FBD site is bordered by Conrail Railroad tracks to the north, and by parcel A and agricultural land to the west (see Figure 3-1 for site features). Agricultural land borders the site to the east and south. Residential areas are located north and west of the site. Further north, approximately 1/4 mile, light industrial areas exist, as well as a school and a large recreational field. Light industrial and commercial areas are primarily located further east of the site, closer to Elyria. The Black River is located approximately 3/4 miles east of the site. The river flows to the north.

The site is completely enclosed by a 7-foot-high cyclone fence with a locked gate. An abandoned railroad spur runs south along the eastern border of the site from the Conrail Railroad tracks, then turns to the west, across the center of the site, and ends at the plant building on parcel A. Former disposal areas A and B are located north of the abandoned spur; former disposal area C and the engineered landfill are located south of the spur. The disposal areas are vegetated and blend in with the surrounding terrain. The landfill is slightly sloped. Monitoring wells surround the landfill (see Figure 3-2 for monitoring well locations).


A former pump house is located approximately 150 feet west of disposal area A. A former truck decontamination pad and woods are located south of the engineered landfill.


A ditch that serves as the Elyria storm sewer runs east from parcel A, just south of the abandoned spur, then turns to the south at the eastern fence line. Former outfall 001 leads from the northeast corner of disposal area C to the drainage ditch.

The former General Motors plant building is located on parcel A, just west of the site. The WWTP is located at the northeast corner of the building. A parking lot is located between the site fence and the plant building. Parcel A is partially fenced.



SOURCE: Drawn From Map By General Motors Corp, 1980.








FIGURE 3-2 MONITORING WELL SAMPLING LOCATIONS

FIT photographs from the SSI of the GMC-FBD site are provided in Appendix C.

3.4 SAMPLING PROCEDURES

Samples were collected by FIT at locations selected during the reconnaissance inspection to determine whether U.S. EPA Target Compound List (TCL) compounds or Target Analyte List (TAL) analytes were present at the site. The TCL and TAL are included with corresponding quantitation/detection limits in Appendix D.


On July 18, 1990, FIT collected seven on-site soil samples from disposal areas A, B, and C, including a potential background soil sample. Portions of soil samples were offered to the site representative, and three portions, from samples S2, S3, and S5, were accepted.

Groundwater sampling was not conducted during the SSI, because groundwater flow direction in the area of the site is to the northeast. Therefore, all on-site monitoring wells, as well as all residential wells in the area of the site, are considered to be upgradient or side gradient of former disposal areas A, B, and C. Any TCL compounds and TAL analytes FIT might detect in on-site monitoring wells would likely have migrated to groundwater from the area of the former surface impoundments, where the engineered landfill is currently located. This area is upgradient of disposal areas A and B and west of disposal area C.


Soil Sampling Procedures. Two soil sampling locations were selected by FIT at random in each of the three former disposal areas, A, B, and C (see Figure 3-3 for soil sampling locations). The locations were selected to determine whether TCL compounds or TAL analytes were present on-site. These samples were all collected at depth to better characterize wastes deposited in the disposal areas.

Soil sample S1 was collected from the northwest corner of area C, at a depth of 5 feet, by using both a power auger and a hand auger. Soil sample S2 was collected with a shovel in disposal area C, southeast of sampling location S1, at a depth of 3 feet.

Soil sample S3 was collected with a shovel and a posthole digger from the southern end of disposal area B; soil sample S4 was collected with a shovel in area B, approximately 225 feet northwest of sampling



SOURCE: Drawn From Map By General Motors Corp, 1980.



·

FIGURE 3-3 SOIL SAMPLING LOCATIONS

location S3. Samples S3 and S4 were collected at depths of 2.5 feet and 1 foot, respectively.

Soil samples S5 and S6 were collected with a shovel and posthole digger from disposal area A. The samples were collected approximately 100 feet apart from the southern end of the area, at depths of 1.5 to 2 feet.

A potential background soil sample, S7, was collected with a shovel from an area south of disposal area C. The background soil sample was collected to determine the representative content of soil in the area of the site. The sampling location was selected because it appeared to be in a relatively undisturbed area on-site.

The volatile organic analysis sample portions were collected first and transferred directly to sample bottles. All remaining sample portions were transferred to stainless steel bowls with a shovel, post-hole digger, and/or hand auger. Sample material was then transferred to appropriate sample containers using stainless steel trovels (E & E 1987).

Standard E & E decontamination procedures were adhered to during the collection of all soil samples. The procedures included the scrubbing of all equipment (e.g., power auger, hand auger, posthole digger, shovel, stainless steel bowls, and trowels) with a solution of detergent (Alconox) and distilled water, and triple-rinsing the equipment with distilled water before the collection of each sample (E & E 1987). All soil samples were packaged and shipped in accordance with U.S. EPA-required procedures.

As directed by U.S. EPA, all soil samples were analyzed using the U.S. EPA Contract Laboratory Program (CLP).

4. ANALYTICAL RESULTS

This section presents results of the chemical analysis of FIT-collected on-site soil samples for TCL compounds and TAL analytes. All samples were analyzed for volatile organics, semivolatile organics, pesticides/polychlorinated biphenyls (PCBs), metals, and cyanides. Complete chemical analysis results of FIT-collected soil samples are provided in Table 4-1.

Quantitation/detection limits used in the analysis of soil samples are provided in Appendix D.

The analytical data for the chemical analysis of soil samples collected for this SSI have been reviewed by U.S. EPA for compliance with terms of CLP, and the review has been approved by U.S. EPA. The analytical data have also been reviewed by FIT for validity and usability. Any additions, deletions, or changes to the data have been incorporated in the chemical analysis results table presented in this section.

Table 4-1
RESULTS OF CHEMICAL ANALYSIS OF
FIT-COLLECTED SOIL SAMPLES

Sample Collection Information				Sample Numb	e r		
and Parameters	si	52	S 3	S4	55	s 6	s 7
Data	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90	9/18/90
rime	1150	1245	1355	1435	1515	1555	1630
CLP Organic Traffic Report Number	EKH56	EKH57	EKH58	EKH59	EKH60	EKH61	ЕКН 6 2
CLP Inorganic Traffic Report Number	MEKS56	MEKS57	MEKS58	MEKS59	MEKS60	MEKS61	MEKS 62
Compound Detected						·	
(values in µg/kg)	-						
Tolatile Organics							
sethylene chloride		nadorajo is		3 5 J			
crichloroethene	******		-		8	13	
tetrachloroethene			9J	مسيت	53	- 25J	12J
coluene					4	3,7	
Semivolatile Organics					•		
phenanthrene				. —	220J		
fluoranthene		****			1903		
pyrana					130 <i>J</i>		
bis(2-ethylhexyl)phthalate	2,300	650J	870J	3,500	240J		100J
Pesticides/PCBs	·		ř				
Endrin					6.2J		
4,4'-DDD	in see				110		
Aroclor 1284			561		770	again jumb	pang salam
Analyte Detected							
(values in mg/kg)							•
aluminum	11,100	20,600	27,800	18,200	13,700	17,400	15,800
ntimony	253NJ	80.4NJ	116NJ	385NJ	R	R	R
rsenic	21.9NJ	25.7NJ	12.9NJ	23.1NJ	3.9NJ	5.8NJ	10.4N
oarium .	169	127	177	217	122	119	75.7

Table 4-1 (Cont.)

Sample Collection Information			Sample Number				
and Parameters	sı .	S 2	53	54	55	S 6	\$7
peryllium	1.28	1.3B	1.38	0.988	1.2	18	0.758
cadaius	10.6	7.7	8.3	20.9	4.8	3.8	3.6
alcium	55,600	37,500	74,000	176,000	40,500	15,500	1,210B
thromium	22,100	6,120	10,000	34,500	671	51.8	21.8
cobalt	36.5	25	14.6B	26.3	8.2B	9.4B	8.98
copper	4,370	1,820	2,090	12,800	216	31.5	9.5
tron	23,600	35,300	28,200	6,810	29,300	25,200	26,200
ead	174*J	21*J	44.4*J	117*J	7.7*J	15.2*J	24.9*3
avanesium	4,860	9,200	13,300	3,680	9,180	5,580	2,530
anganese	3978*J	327M*J	467N*J	89.2N*J	2,810N*J	705N*J	320#*3
Borcury	0.41NJ	0.17NJ		0.45NJ		*******	
nickel	9,580	2,990	4,590	24,300	669	38.4	15.9
octassium	1,620B	3,540	3,380	498B	1,650	1.790	1,570
selenium	1.3B	0.858	1.6B	3.2	0.33BWJ	0.42B	0.548
silver	R	R	R	7.1NJ	R	R	R
sodium	57.6B	41.68	*****		1148	35.3B	-
vanadius		4.3BNJ		****	38.8NJ	38.2NJ	34.5N
sinc	3,360	1,470	1,930	3,790	1,010	115	81.9
cyanide	30.6NJ	8.7NJ		143NJ			

⁻⁻ Not detected.

	COMPOUND QUALIFIER	DEFINITION	Interpretation
	3	Indicates an estimated value.	Compound value may be semiquantitative
	ANALYTE QUALIFIERS	DEFINITION	INTERPRETATION
	Ħ	Spike recoveries outside QC protocols, which indicates a possible matrix problem. Data may be biased high or low. See spike results and laboratory narrative.	Value may be quantitative or semi- quantitative.
	•	Duplicate value outside QC protocols which indicates a possible matrix problem.	Value may be quantitative or semi-quantitative.
	. В	Value is real, but is above instrument DL and below CRDL.	Value may be quantitative or semi~ · quantitative.
4	J	Value is above CRDL and is an estimated value because of a QC protocol.	Value may be semiquantitative.
	₩	Post-digestion spike for furnace AA analysis is out of control limits (35-115%), while sample absorbance is (50% of spike absorbance.	Value may be semiquantitative.
	R	Results are unusable due to a major violation of QC protocols.	Analyte value is not usable.

5. DISCUSSION OF MIGRATION PATHWAYS

5.1 INTRODUCTION

This section presents discussions of data and information pertaining to potential migration pathways and targets of TCL compounds and TAL analytes that are possibly attributable to the GMC-FBD site.

The five migration pathways of concern discussed are groundwater, surface water, air, fire and explosion, and direct contact.

5.2 GROUNDWATER

Groundwater samples were not collected by FIT because of a lack of wells potentially downgradient of disposal areas A, B, and C. However, TCL compounds and TAL analytes that are attributable to the site were detected in on-site soil samples, including 4,4'-DDD at 110 µg/kg and Aroclor 1254 at 770 µg/kg in sample S5, and chromium at 34,500 mg/kg, copper at 12,800 mg/kg, nickel at 24,300 mg/kg, zinc at 3,790 mg/kg, mercury at 0.45NJ mg/kg, and cyanide at 143NJ mg/kg in sample S4. These TCL compounds and TAL analytes are attributable because they were detected at levels above those of the background sample, and because electroplating sludges primarily consisting of cadmium, chromium, nickel, and cyanide were deposited in on-site disposal areas A, B, and C for approximately 17 years.

A potential exists for the migration of TCL compounds and TAL analytes to groundwater from the GMC-FBD site because disposal areas A, B, and C are unlined. The potential is also based on the following geologic and hydrogeologic information. The Elyria area lies on a glaciated, relatively flat lake plain on the edges of Old Lake

Whittlesly, Lake Maumee, and Lake Warren. The area's physiographic province is near the boundary of the Appalachian Plateau and the Central Lowland province (White 1943). More specifically, the GMC-FBD site is situated near the boundary of the Interior Lowlands physiographic province, at an elevation of approximately 750 feet above mean sea level, an area of relatively flat-lying sedimentary rock from the Devonian and Mississippian ages (White 1943).

The geology in the GMC-FBD site vicinity is divided into four stratigraphic units, based on boring logs of existing on-site monitoring wells (see Appendix E for soil boring logs of the site). The uppermost unit consists of soft, light brown to greenish-gray silty clay till, sand, and gravel deposited during the Wisconsinan glacial advance approximately 10,000 years ago. The unit thickness ranges from 6 to 14 feet. Underlying the till deposits is the Orangeville Shale that consists of soft, light greenish-gray shale. This unit is not found under most of the site, but has been identified under the southeast portion of the site at a depth of approximately 5 feet. The Berea Sandstone underlies the glacial drift or the Orangeville Shale and is described as a hard, fine-grained sandstone, with occasional thin shale interbeds. The glacial deposits and the Berea Sandstone are hydraulically connected and together form the aquifer of concern (AOC). Wells in the area of the site draw from the Berea Sandstone (see Appendix F for well logs of the area of the site).

Underlying the Berea Sandstone is the Bedford Shale, which is 50 to 90 feet in thickness. It is described as a gray to reddish, silty shale with some thin, sandy horizons (Mustafa 1990). The domestic wells drawing from the AOC within a 3-mile radius of the site range in depth from 25 to 30 feet. According to local well logs, no continuous impermeable confining layers exist throughout a 3-mile radius of the site. The direction of groundwater flow is not known, but is assumed to be in a northeasterly direction because the surface topography in the area gently descends toward the Black River, which is located approximately 3/4 miles east of the site. The nearest drinking water well to the GMC-FBD site is located approximately 3,500 feet to the northwest. The aquifer used for drinking purposes in the area has an average yield of 12 to 15 gallons per minute, according to area well logs.

Residents of the city of Elyria obtain drinking water pumped from Lake Erie, which is approximately 7 miles north of the GMC-FBD site. Many residents outside Elyria city limits have the option of purchasing drinking water from Elyria or from the Rural Lorain County Water Authority, which also distributes water pumped from Lake Erie (Kuzak 1986).

Potential targets of groundwater contamination include residents outside Elyria city limits who use private wells that draw drinking water from the AOC. A house count from United States Geological Survey (USGS) topographic maps of the area of the site (USGS 1963, 1963a, 1969, 1969a) showed 668 houses within a 3-mile radius of the site and outside municipal and rural water supply boundaries. This number was then multiplied by a persons-per-household value of 2.69 for Lorain County, Ohio (U.S. Bureau of the Census 1982), which yields a groundwater target population of 1,991 persons.

5.3 SURFACE WATER

The former outfall located at the northeast corner of disposal area C discharged into the same drainage ditch that is currently used to carry storm water runoff to the Black River. Therefore, TCL compounds and TAL analytes that might have been detected at the discharge point of the ditch into the Black River could not have been conclusively attributed to the GMC-FBD site. As a result, FIT did not sample surface water or sediment from the Black River during the SSI.

Because waste at the site is primarily covered or buried, an overland migration route for TCL compounds and TAL analytes from the site to surface water does not appear to exist; however, a potential for TCL compounds and TAL analytes to migrate from the site to the Black River exists, based on the following information.

- TCL compounds and TAL analytes were detected in on-site soil samples.
- Wastewater was discharged directly to the drainage ditch through outfall 001 between 1956 and 1988.

- The primary constituents of wastewaters derived from plating operations at the General Motors plant were chromium, cadmium, nickel, and cyanide.
- TCL compounds and TAL analytes may also migrate to the Black River via groundwater base flow.

The Black River is used for recreational purposes. However, because no surface water intakes exist within a 3-mile radius of the site, there is no target population (U.S. EPA 1984).

5.4 AIR

A release of TCL compounds or TAL analytes to the air was not documented during the SSI of the GMC-FBD site. During the reconnaissance inspection, FIT site-entry instruments (OVA 128, ENu, oxygen meter, explosimeter, and hydrogen cyanide detector) dir not detect levels above background concentrations at the site. In accordance with the U.S. EPA-approved work plan, further air monitoring was not conducted by FIT.

A potential does not exist for TCL compounds and TAL analytes to migrate from the site via windblown particulates because of adequate vegetative cover at the site.

5.5 FIRE AND EXPLOSION

According to federal, state, and local file information reviewed by FIT, and an interview with the Elyria fire chief, Schuz, no documentation exists of an incident of fire or explosion at the site (Schue 1990). According to FIT observations and site-entry emipment readings, no potential for fire or explosion existed at the site at the time of the SSI.

5.6 DIRECT CONTACT

According to federal, state, and local file information reviewed by FIT, observations made during the SSI, and the interview with the site representatives, no incidents of direct contact with TCL compounds or TAL analytes at the GMC-FBD site have been documented. A potential does

not appear to exist for the public to be exposed to direct contact with TCL compounds and TAL analytes detected on-site, based on the following observations.

- The site is fenced, and has a gate that is locked 24 hours per day.
- The on-site disposal areas are covered and vegetated.

Fauna, however, could potentially become exposed to TCL compounds and TAL analytes through the ingestion of contaminated flora on-site. FIT observed deer on-site.

6. REFERENCES

- Bush, William, P.E., July 12, 1978, District Engineer, OEFA, letter, to J. W. Canan, Plant Engineer, General Motors.
- E & E, 1987, Quality Assurance Project Plan Region V FIT Conducted Site Inspections, Chicago, Illinois.
- Fisco, Raymond, May 6, 1970, General Motors, Plating and Endustrial
 Waste Treatment at the Expanded Plant of Fisher Body, Elyria, Ohio.
- Kienle, Philip, October 19, 1990, Senior Environmental Engineer, General Motors, letter, to Cynthia Schultz of E & E.
- Kuzak, Dale, February 24, 1986, Superintendent of Water Distribution, Elyria Water Department, telephone conversation, contacted by Pat Patrella of E & E.
- Mustafa, Ahmed, March 30, 1990, Groundwater Division, Northeast District Office, OEPA, Comprehensive Groundwater Monitoring Evaluation of General Motors's Inland Fisher Guide Division.
- , June 16, 1990a, Groundwater Division, Northeast District Office, OEPA, telephone conversation, contacted by Eill Shaeffer of E & E.

- OEPA, September 30, 1985, NPDES permit, number 3ISO0001-CD, effective September 30, 1985, expired September 27, 1990.
- Schue, June 21, 1990, Fire Chief, Elyria Fire Department, telephone conversation, contacted by Bill Shaeffer of E & E.
- U.S. Bureau of the Census, 1982, 1980 Census of Population, Characteristics of the Population, General Population Characteristics, Ohio, Washington, D.C.
- U.S. EPA, June 2, 1981, Notification of Hazardous Waste Site form, prepared by H. H. Linz, Plant Manager, General Motors.
- Assessment, for the GMC-FBD site, U.S. EPA ID: OHDO04201091, prepared by Catherine McCord, Northeast District Office, OEPA.
- Response, Pre-Remedial Strategy for Implementing SARA, Directive number 9345.2-01, Washington, D.C.
- USGS, 1963, Avon, Ohio Quadrangle, 7.5 Minute Series: 1:24,000.
- , 1963a, Grafton, Ohio Quadrangle, 7.5 Minute Series: 1:24,000.
- , 1969, Lorain, Ohio Quadrangle, 7.5 Minute Series: 1:24,000.
- , 1969a, Oberlin, Ohio Quadrangle, 7.5 Minute Series:
- White, George W., 1943, Geology of Water in Ohio, Bulletin 44, Ohio Department of Natural Resources.

6488:9

A

.

i

APPENDIX A

SITE 4-MILE RADIUS MAP

SDMS US EPA Region V

Imagery Insert Form

Some images in this document may be illegible or unavailable in SDMS.

Please see reason(s) indicated below:

	copy.
	Specify Type of Document(s) / Comment
Pro-Automotion	Confidential Business Information (CBI). This document contains highly sensitive information. Due to confidentiality, materials with such information are not available in SDMS. You may contact the EPA Superfund Records Manager if you wish to view this document.
	Specify Type of Document(s) / Comment
-	
X	Unscannable Material: Oversized X or Format. Due to certain scanning equipment capability limitations, the document page(s) is not available in SDMS. The original document is available for viewing at the Superfund Records center. Specify Type of Document(s) / Comment
	4-MILE RADIUS MAP
	Other:

APPENDIX B

U.S. EPA FORM 2070-13

a man	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

LIDENTIFICATION OI STATE DZ SITE MUMBER

OH DO04201091 PART 1 - SITE LOCATION AND INSPECTION INFORMATION IL SITE HAME AND LOCATION 02 STREET, ROUTE NO., OR SPECIFIC LOCATION IDENTIFIER 1400 LOWELL GMC OTCOUNTY DE CONG COOE DIST COUNTY DE STATE OS ZIP COOE 44036 LORAIN ELYRIA TO TYPE OF OWNERS 09 COORDINATES 41 33, 10.04 0 85, 08, 90 OK M A. PRIVATE D B. FEDERAL C. STATE D. COUNTY DE. MUNICIPAL ☐ G. UNIKCKOWN IIL INSPECTION INFORMATION OJ YEARS OF OPERATION OI DATE OF INSPECTION 02 SETE STATUS 1946 1988 9,18,90 O ACTIVE UNKNOWN AT ENACTIVE MONTH DAY YEAR D4 AGENCY PERFORMING INSPECTION (Owed at that world O A EPA DE EPA CONTRACTOR ELOLOGY+ ENVIRONMENT O C. MUNICIPAL O D. MUNICIPAL CONTRACTOR D G. OTHER DE. STATE DE. STATE CONTRACTOR (Nemo of Arm) O7 ORGANIZATION OS TELEPHONE NO. 06 TIRE OS CHIEF INSPECTOR 13121663-9415 E+E ENU. HEALTH SECIALIST YONL 1 ORGANIZATION 12 TELEPHONE NO. 13121663-9415 GEOGRAPHER 13124663-9415 (312)663 9415 16 TELEPHONE NO 15ADDRESS 1400 LDWELL ST 13 STE REPRESENTATIVES INTERVIEWED SR. ENU. (313) 578-3026 ELYRIA, OH 44036 PHILLIP KIENLE - GMC ENGINEER 16406 U.S. ROUTE 224E 419-43-3521 OWELLNETZGER FINDLAT, DH O.H. MATERIAL 17 ACCESS GAMED BY 16 TIME OF BISPECTION 18 WEATHER COMOTIONS M PERMISSION 1735 70° SUMMY D WARRANT IV. INFORMATION AVAILABLE FROM OJ TELEPHONE NO. 02 OF Manch Dance DI CONTACT 1216425-9171 AHMET MUSTAFA
ON PERSON RESPONSELE FOR SITE INSPECTION FORM DEPA - NE DISTRICT OFFICE 07 TELEPHONE NO. OR DATE 05 AGENCY / 3,9/ 312-663-9415 U.S EPA

BRAD STIMPLE

S		Ά
	- C	# 16

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

LIDENTIFICATION OI STATE OF SITE HUMBER

	S, QUANTITIES, AN	Co Con special Co. 1 Co.			~~~~~~~~		
MA. SOUD DE. SLURRY MAT D.B. POWDER, FINES DE. LIDERD FON DEC. SLUDGE DG. GAS CUBIC YARD		CUBIC YARDS	CHICACH CHI	O3 WASTE CHARACTE # A. TOXIC LT B. CORROS LT C. RADIOAL JETD. PERSIST	DESQUE SIVE DESMEC STIVE L'IGHAM	RE DIHIGHLYV TIOUS DIEXPLOS KABLE DIK REACTIO	NE Æ ATHBLE
		10:5: 5:5:5					
L WASTE TYPE	SUBSTANCE N	AME	DI GROSS AMOUNT	ICZ UNIT OF WEASINE	03 COMMENTS		
SLU	SLUOGE		UNKHEWH				
OLW	OfLY WASTE						
SOL	SOLVENTS		UHKHOWH		SEE TAR	LE 4-1 AN	0
PSO :	PESTICIDES		11		NARRI		
000	OTHER ORGANIC C	EMICALS				1	
	ENORGANIC CHEMIC		UHKNOWN				
ACD	ACIDS		" "				
BAS	BASES		61	-			
MES	HEAVY METALS		11				
	S SUBSTANCES (See	anendu for most frenu	ently caled CAS Numberal	<u> </u>			
CATEGORY	02 SUBSTANCE		03 CAS NAMBER	04 STORAGE/DES	POSAL METHOD	05 CONCENTRATION	DE MEASURE O
71 CANEGONI			1				
							
						<u> </u>	
							
			BLES 4-1			MALTTICAL	
		EE TA	54ES 7-1	1 IN SECT	TOH T		
		<u> </u>		<u> </u>		RESULT,	7
				-			-
			_		·	 	
				 		<u> </u>	
			_				
	<u></u>			}		 	
				<u> </u>			1
				<u> </u>			<u> </u>
		·		 			<u> </u>
							
V. FEEDSTOC	KS 1500 Appendix for CAS 144						
CATEGORY	01 FEEDSTO	DOK NAME	02 CAS HUMBER	CATEGORY	O1 FEEOS	TOCK NAME	OZ CAS MUMBE
PDS	- N/0			FDS			
FDS	1 17	<u>' </u>		FDS			1
FDS	1			FDS	1		1
FDS	 			FDS	<u> </u>		1
	L OF INFORMATION =	to construction	. a.p., state likes, semple enalysi	. E	<u>*</u>		
F	IT SSI	CON DUC	FIT-COL DEPA	8 17 D			

SCPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

L IDENTIFICATION

OI STATE OF SITE NUMBER

DH DOUGEOIO9/

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS	1004acie ii
E HAZARDOUS CONDITIONS AND INCIDENTS	
OI & A. GROUNDWATER CONTAMINATION 1991 O2 D OBSERVED (DATE:) ® POTENTIAL O3 POPULATION POTENTIALLY AFFECTED: 1991 O4 NARRATIVE DESCRIPTION	N C) ALLEGED
SEE SUBSELLION 5.2 "GROUNDWATE	ER'
01 & B. SURFACE WATER CONTAMINATION OF DOUBLE OF OSTERIOR OF DOUBLE OF OSTERIOR OSTE	AL DALLEGED .
SEE SUBSECTION 5.3 "SURFACE WATE	IR"
OI S C. CONTAMINATION OF AIR OZ D OBSERVED (DATE:	AT [] WITECED
SEE SUBSELTION S. 4 "AIR"	
01 © D. FRE/EXPLOSIVE CONDITIONS 02 DIOBSERVED (DATE:) DI POTENTI. 03 POPULATION POTENTIALLY AFFECTED: 04 NARRATIVE DESCRIPTION	AL D'ALLEGED
SEE SUBSECTION S.S "FIRE AND EXP	LOSION"
01 B E. DIRECT CONTACT 02 DIOSERVED (DATE:] 8 POTENTI 03 POPULATION POTENTIALLY AFFECTED: 04 NARRATIVE DESCRIPTION	AL C ALLEGED
SEE SUBSELTION 5.6 "DIRECT CONTAC	π"
OI & F. CONTANINATION OF SOIL 65,000CY. OF BORENVED (DATE: 9/18/90) E POTENTION OF SOIL 65,000CY.	AL CALLEGED
SEE SUBSECTION S.L "GROUNDWATER"	'AND
SECTION 4 "ANALYTICAL ZESU	
01 B G. DRINKING WATER CONTAMINATION 99 02 0 08SERVED (DATE:) B POTENTI 03 POPULATION POTENTIALLY AFFECTED: 04 NARRATIVE DESCRIPTION	W. DALEGED
SEE SUBSECTIONS 5.2 "GROUNDWATER" + 5.3 "DURFALLE WATER"	
01 17 M, WORKER EXPOSURE/NURY 02 L; OBSERVED (DATE:) II POTENT 03 WORKERS POTENTIALLY AFFECTED: 04 NARRATIVE DESCRIPTION	TAL DI ALLEGED
SITE IS INACTIVE	•
01 B L POPULATION EXPOSUREMLIURY 1991 02 (, ORSERVED (DATE:) B POTENT 03 POPULATION POTENTIALLY AFFECTED: 1991 04 NARRATIVE DESCRIPTION	TAL D ALLEGED
REFER TO "A" ABOVE	• •
46	•

POTENTIAL HAZARDOUS WASTE SITE

SITE INSPECTION REPORT ION OF HAZARDOUS CONDITIONS AND INCIDENTS

		TENCATION	
lοι	STATE	02 SITE HUMBER	1
ŀ	>#	D00420	109

L HAZARDOKIS CONDITIONS AND INCIDENT					
DI S J. DAMAGE TO FLORA DA NARRATIVE DESCRIPTION		2 () OBSERVED (DATE	:)	POTENTIAL	[] ALLEGED
TAL ANALTIES + TCL C	em pounds	DETELTED			•
±N SC	ひさんピアペー	TOM DN TE	OTENT, ALL		
I B K DAMAGE TO FAUNA 4 NARRATIVE DESCRIPTION (INCLUSE NAMED I) OF 2014		12 M OSSERVED (DATE	9/18/90;	C POTENTIAL	□ ALLEGED
FAUNA COULD BE EXTHROUGH THE INGEST A FRACE, FEER WE	THOSED TO	WTAMINATED	FLORA, DESI	ato the th	es Bsence 0
D1 BL CONTAMINATION OF FOOD CHAIN D4 NARRATIVE DESCRIPTION)		D ALLEGED
THE FOOD CH	iain coult	> 35 INDIR	SUTUY AFF	ELTED THI	rough
THE BOALL	MULATION	OF TCL CO	n ADUNDS AND	TAL ANAL	7785
ON M. UNISTABLE CONTAINMENT OF WASTES		02 () OBSERVED (DATE	:}}	B POTENTIAL	O ALLEGED
03 POPULATION POTENTIALLY AFFECTED:		O4 NARRATIVE DESCRI		JI FICANTLY	H16-14
TI L COMPOUNDE	ND TACANA	with well	45. NO LIN	eris Pros	s~T
DI B N. DAMAGE TO OFFSITE PROPERTY DA NARRATIVE DESCRIPTION			= 9/18/901		□ ALLEGED
THE THE SECOND THE SEC			•		
	NOHE OBE	erve o			**
01 © O. CONTAMINATION OF SEWERS, STORM OA NARRATIVE DESCRIPTION	_		1/18/90) 15 2.3A		D ALLEGED
01 8 P. ELEGAL/UNAUTHORIZED DUMPING 04 NARRATIVE DESCRIPTION		02 (D OBSERVED (DAT	E1	8 POTENTIAL	D ALLEGED
	SEE SU	BSECTION &	1.3 "SITE +	HISTORY"	
05 DESCRIPTION OF ANY OTHER KNOWN, POT	TENTIAL, OR ALLEG	ED HAZAROS			
. Нон	E OBSER	ved By	FIT DURIN	+6 THE 9	/18/90 SS
EL TOTAL POPULATION POTENTIALLY AF				**	
IV. COMMENTS					
		,			
1404	14				·
V. SOURCES OF INFORMATION REFERENCE					<u> </u>
FIT SSI CON DATA ANALYSI FIT FILE			UTED SAW	 PLES	
FIT FILE .	IHFORM	WION /0	EPA FILE	INFO.	

I. IDENTIFICATION

\$ EPA	POTENTIAL HAZAHDOUS WASTE SITE OI STATE OZ STTE NUMBER					
PART 4 - PERMIT AND DESCRIPTIVE INFORMATION						[OH DOOUSE! 091
IL PERMIT INFORMATION					······································	
O1 TYPE OF PERMIT ISSUED	02 PERSAT MANBER	O3 DATE ES	SUED	04 EXPRATION DATE		
(C)-oc of that sport)	JISOCON CD	9/30/	85	967/90		DREW PERMITON
& A MPDES	13,5000,100	1			FIE-	F (21.1.1.2.)
<u>○ 6. USC</u>					CARRIEN.	CHERATINAL RELIMITS
№ C. AR		 				CALINA MORNIE METANII 2
OO. SCRA	CVINCO DOLOGI	 			STORAGE	E AND / POST CLOSUZE
BE ACRAINTERIM STATUS	160102H009HO	 			DIOLEG	E ALCO / AUST ZEESCHE
OF. SPCCPLAN		 			<u> </u>	· ·
O.G. STATE (Specifi)		 -			- 	
DH LOCAL SONOM		 			 	
OL OTHER (Speedy)				· · · · · · · · · · · · · · · · · · ·	 	
DT MOME		<u> </u>			<u> </u>	
IIL SITE DESCRIPTION	02 AUGURAT Q3 UNST OF		0.75	EATMENT PO-CL # INE.		05 OTH€R
O I STORAGE DISPOSAL 10 mode all final apply)	~65.∞0C4	-		• .	48231	0501121
■ A SURFACE IMPOUNDMENTS	1000,000	·		INCENERATION	canau	Z A. BUILDINGS ON SITE_
[] B. PILES [] C. DRUMS, ABOVE GROUND				UNDERGROUND INJ CHEMICAL/PHYSIC		8 A. BURLDINGS ON SITE PARCEL A -3
EI D. TANK, ABOVE GROUND				BIOLOGICAL	~ L	PARLELB-0
DE TANK, BELOW GROUND				WASTE OIL PROCES	SSING	DE AREA OF SITE
# F. LANDFILL	~40,000, CY	[□ F.	SOLVENT RECOVER	RY	PARLELB-85
□ G_ LANDFARM			1 3 3 3 1 2 3 1 3 1 2 3 1 3 1 3 1 3 1 3			
O IL OPEN DUMP	··			OTHER NA	ecty)	PARCELA-141
D L OTHER		1				
- AREAS,	and one RCI	ra R	EH	NATED C	apped c	and de le
IV. CONTAINMENT						
OI CONTARGENT OF WASTES (Decen cons)				-		
C) A ADEQUATE SECURE	0 6. MODERATE	BC. ₹\	ADEO	UATE, POOR	O D. INSEC	ZURE, UNSOUND, DANGEROUS
OS DESCRIPTION OF DRUMS, DISUNG LINETS NOM (3	ismers.erc 3 DBSBRUBD B DISPOSAL ARR	SY FI AS)	T :	DURING -	THE 91	18/90 SSI.
V. ACCESSIBILITY						
01 WASTE EASEY ACCESSIBLE: 3 Y 02 COMMENTS		es ocke	D-	MANORIT MRIBL	4 OF SI.	TE IS CAPPED
VL SOURCES OF INFORMATION (0)				1	<u>ر ب</u>	
FIT SSI CO		18/90				
DATA ANALYSI FIT FILE JA	S OF FIT CC	XLEC DEPI	-70 4 F	ED SAMA FILE IN	-85 FO.	

SEPA	and the second s		NTIAĽ HAZAF SITE INSPEC DEMOGRAPHI	NON REP	ORT		4.	HTIFICATION DOSHED DOSHO	109
E DRINKING WATE	R SUPPLY								·····
OI TYPE OF DREADING SO	JPPLY		02 STATUS	·		·	63.0	DISTANCE TO SITE	
	SURFACE	WELL	ENDANGER	D AFFE	CTED	MONTORED			
COMMOUNTY	a.B	8.0	A. C	8.	O	C.ଶ	Α.		
HON-COMBALPETY	C. 🗆	0. 🗟	9. 🛭 🔾	HENOUE	ρ.	F. O	8.	3500 FT >	
IL GROUNDWATER									
OI GROUNDWATER USE	BY ACSULLA VOINCE O	4		-	1		,		
D A ONLY SOURCE	FOR ORBHICING	B B. DRINKBAG POWER BOUNCES SHARING COMMARROLAL INI PRO OTHER WASH POLYCE	XISTRIAL PROGATIO	TE I	Ostaline PiCIA mited allmer iso	L BNDUSTRIAL IRFOGA urcas productivo)	HOM [D. NOT USED, UNUSE	ABLE
02 POPULATION SERVE) BY GROUND WAT	ER 1991 - 3	MILE RADIUS	03 DISTANC	E TO NEAR	EST DRAWKING WATER	weц <u>3</u>	500 FIN	
O4 DEPTH TO GROUNDW	ATER	OS DERECTION OF GRO	UNOWATER FLOW	06 DEPTH TO		OF AGUSTES	ம	D& SOLE SOURCE AD	UEFER
25-20		CNEN	r. a. e. c.1	0F00W0	· Q	در سرا		☐ YES 🗑	NO
ON DESCRIPTION OF WEI					_O_(n)	1 3 1- UEM.	-{0pg}		
MILE WATEL 10 RECHARGE AREA 8 YES COMMEN	IZ FROM DRAW ITS PERCO	RESIDENT ELYRIA DI FROM PRIVA CLATION OF TO GROUND	2 HEIGHER	DE EL	GE AREA COMMEI	UNITIES - 3	LAN	ES, DITCHE	45 . :S
IV. SURFACE WATE				1					
O1 SUPERCE WATER US	SECREATION)		N, ECONOMICALL IT RESOURCES	r 🗆 C. (COMMERC	CAL INDUSTRUAL	Dε), NOT CURRENTLY	US€D
02 AFTECTEDS OTENTA	ALLY AFFECTED BO	DOSES OF WATER							
BLACK T	RIVER					AFFECTE:) 	DISTANCE TO SITE	(mi (mi
V. DEMOGRAPHIC	AND PROPERT	Y INFORMATION				· · · · · · · · · · · · · · · · · · ·		·	
OI TOTAL POPULATION		·				02 DISTANCE TO NEAR	EST POPU	LATON	
ONE (1) ME OF S		HO (2) HATLES OF SITE 12 05 30 100 OF PERSONS	THREE.	JIMLES OF 4643	3			8 (mi)	

2 b. Chung 18 files and 1 Life A a Credit of the Date Chungon bounded described to water on between some strain on part a file to present and the second some strain of the se

SEE SUBSECTION 5.2 "GROWNDWATER"

DADISTANCE TO MEAREST OFF SITE BUILDING

03 NUMBER OF BUILDINGS WITHIN TWO (2) MILES OF SITE

FRA	

POTENTIAL HAZARDOUS WASTE SITE

L IDENTIFICATION

SEPA	SITE INSPEC	OH DOUGOLOGI		
VL ENVERONMENTAL INFORMA	ATBON			
OF PERMEABELTY OF UNSATURATED A	ONE (Check one)			
☐ A. 10 ⁻⁶ ~ 10 ⁻	-6 cm/sec 0 8 10-4 ~ 10-6 cm/sec 8	C. 10 ⁻⁴ 10 ⁻³ cm	Sec D. GREATER	THAN 10 ⁻¹ on/sec
02 PERSEABILITY OF BEDROCK (Crock				
A. MPERI Ross than	MEABLE D 8 RELATIVELY BAPERMEABL 10-6 courses 110-4 - 10-6 courses	DO Z - 10	Y PERMEABLE LJ C), VERY PERMEABLE (Gracer tran 18 ⁻² correct
03 DEPTH TO BEDROCK	04 DEPTH OF CONTAMINATED SOA ZONE	05 SOK #4		,
15-25 (m)	PHKHOMH (10)		KNOWH	
06 NET PRECIPITATION	07 ONE YEAR 24 HOUR RAINFALL	08 SLOPE SITE SLOPE	DIRECTION OF SITE	SLOPE, TERRAIN AVERAGE SLOPE
4,95 (in)	(in)	<u>43</u> ×	ERST	~3 %
OSPLOSOPOTENTIAL ARPA OF MINIMAL STEES W YEAR FILE		ER ISLAND, COASTA	L HIGH HAZAFIO AREA	L RYERINE FLOODWAY
11 DISTANCE TO WETLANDS IS ACTO MICH		12 DISTANCE TO CRIT	ICAL HABITATION andanger	ed speces
ESTUARINE	OTHER	·	. <u>~</u> /	<u>(mi)</u>
NA NA (mi)	. 8. ~ \ (mi)	ENDANGERE	ED SPECIES:	U/A
13 LAND LISE IN VICINITY			~~ ~~~~~~~~	
DISTANCE TO:				
COMMERCIAL/INDUST	RESIDENTIAL AREAS; NATIO RIAL FORESTS, OR WILDLE	NAL/STATE PARKS, E RESERVES	AGF PRME AG LA	RICULTURAL LANDS ND AG LAND
	e)	•		
A/4-1/2 (mi	B 18-1/4	(mi) ·	c. NA	(mi) O. ADJALENT (mi)
14 DESCRIPTION OF SITE IN RELATION	TO SURROUNDING TOPOGRAPHY			,
To white the state of the state	SEE SUBSECTION 3	.3 "RECO	-naissand	E OBSERVATIONS"
ur paracionale de la constante	SEE SUBSECTION S AND APPENDIX	A "SITE	4 mile	RADIUS MAP"
			-	
·				
			•	
eggh analon (in the control of the c				
The state of the s				
A CONTRACTOR OF THE PROPERTY O		٠.		
The Athon of the A				•
· .	•		· · · · · · · · · · · · · · · · · · ·	
VIL SOURCES OF INFORMATI	ON 15th schools relevences e.g., state But surspite surstyte	e, moortel		
FIT 55	J COHOUCTED 9/	18/90		•
В	LE IHFOLMATION	· · ·		
1	ILE INFORMATION			
1 DEPT F	ILE THEORY INCH	·		

		OTENTIAL HAZARDOUS WASTE SITE	L	L IDENTIFICATION .		
SEPA	SITE INSPECTION REPORT PART 6 - SAMPLE AND FIELD INFORMATION OH DE			1501001 1001001		
IL SAMPLES TAKEN		الله المستقدم المستق	described to the second se			
sample Type	O1 MARGER OF SAMPLES TAKEN	02 SAMPLES SENT FO		03 ESTRANTED CATE RESILTS AVAILABLE		
GROUNDWATER						
SUPPRISE WATER						
WASTE						
AIR						
RUNOFF		TLL COMPOUNDS				
ær		5-CUBED; SANDEL-C	,CA.			
SOE	7	TAL ANALITES		AVAILABLE		
VEGETATION		BETZ LABRATORIES; TI	TX.			
OTHER		- Presentation				
IIL FIELD MEASUREMENTS TA	KEN					
פי זייּב	02 COMMENTS					
OUA 123	NO DE	EVIATION FROM: BYLLGROW	<u></u>	,		
HNU /10-2 PROBE	NO DE	EVIATION FROM BACKGROU	MD			
OA/EXACSIMETER COMBO METER	NO DE	WIATION FROM BACKGROWI	J.			
MONITOX		VIATION FROM BACKBROW				
		NACABLE.				
MOPIER 4 IV. PHOTOGRAPHS AND MAPS		ivnichate.				
OI THE B GROUND () AFRAL		62 94 OUSTORY OF E+E Prome of organization or by	S-154-07			
03 MAPS 04 LOCATION	VOF MAPS					
OND E+C	3 /11 W.	JACKSON BLUD - , CHICAG	0 IL 606	04		
V. OTHER FIELD DATA COLLE	CTED Provide mariable design	professori -				
	•					
25000000000000000000000000000000000000	NOH	JE:				
- -	1401			1		
		· ·				
	· · · · · · · · · · · · · · · · · · ·					
VL SOURCES OF INFORMATK						
FIT S	SI COND	UCTED 9/18/90				
FIT FI	LE IHFO	DRMATION				
NEPA	FILE INT	PORMATION				

SEPA	P	SITE INSPEC	C	CALL	CATION STE MUNICER OO4201091
IL CURRENT OWNER(S)			PARENT COMPANY		
	/	OZ D+B MURABER	OS HALE	/ /	78 D+8 NUMBER
OT NAME GMC-INLAND-TISHED GISTREET ADDRESS 17.0. BOX. NO.0. CE. 1	ZV/K	UHRHOWH MSCOODE	GENERAL MOTORS	-orl	N/A 1150000€
6600.E. 12 MILE	CAOS	UHEHOUM	3044 W. GRAND	BLUD	. N/A
as carv	OG STATE	07 2P COOE	[12 <u>C</u> 17	1321VIE	14 LP COUR
WARREN	MI		DETROIT	1/4	48202
NORTHERN OHIO PA	بجروييدر	02 D+ B NUMBER	OS HAME		09 D + B NUMBER
NORTHERM OHIO PA	RK	7/4	N/H	1	
03 STREET ADDRESSIFO. SAL MOV. WES 1400-1438 LOWELL		015C000E N/A	10 STREET ADDRESS (P.O &L MO)		11SIC 000€
OS CITY	OG STATE	01 ZP COOE	12 CITY	13 STATE	14 ZIP COOE
ELYRIA	OH	44036			
OI RALE		02 D+8 HUMBER .	OS NAME		09 D+8 NUMBER
N/A			L N/A		
0.3 STREET ADDRESSYP.C. Box, Nº D.P. arc.)		0× 5IC CODE	10 STREET ADDRESS IP.O. lox. RFD4, AC J		11 SIC COD€
ος απγ	OG STATE	07 2P COO€	12 CITY	13 STATE	1 6 ZP CODE
OT RAME	2000 1000 - XI-V-XX	02D+BINAMBER	OB HAME		090+8 NUMBER
N/A		04 SIC CODE	10 STREET ADDRESS (P.O Sec 1850 P. MC)		1 1 SIC COO€
03 STREET ADDRESS P.O. Box. 860 P. orc.1		الم عد تعاقد	TO STREET RECEIVED SEC POUR, MAL	*	11,0000000
osany .	06 STATE	07 DP COD€	12014	13 STATE	14 ZIP CODE
	<u> </u>				l
EL PREVIOUS OWNER(S) LE -DE ACCEPTED		IQ2 D+8 NUMBER	IV. REALTY OWNERS) & BOOKS & BOOKS	ection (fe-sic)	02 0+8 NUMBER
OI RAME		OC OT B HUMBER	-N/A		
CHKNOWH		D4 SIC CODE	03 STREET ADDRESS (P.O. SHE NEOF, SHE)		94 540 000€
osan	OSSTATE	07 ZP COO€	osan	OS STATE	07 20° COO€
OT MANG	<u> </u>	CZ D+6 KARSER	OI RALE	and the second s	02 D+8 M.A.SER
OS STREET ADDRESS P.O. BUR 1970, MLJ		04 SIC CODE	03 STREET ADOPESS (P.O. Sec. 8904. SEL)		04 SiC CO0€
Edit Attended					
os arv	OB STATE	07 ZP CODE	05 CITY	OS STATE	OT ZIP CODE
OI KASE	A same and a	02 D+8 NEARBER	OT HAVE		C2 O+8 NUMBER
UHKHOWN			1 N/A		<u> </u>
03 STREET ADDRESS IP.O. BOL. BTD F. COC.)		04 SC 008E	03 STREET ADDRESS (P.O.) MOV. ~		04 SIC CODE
05017	DESTAT	E 07 ZP CODE	05 CITY	OE STATE	07 ZIP CODE
N COMPANY OF HATCHES A TROM	1		STATE OF THE STATE		1
V. SOURCES OF INFORMATION A.					
FIT SSI COND FIT FILE FNF	CTE CRAN	4710H /0	BPA FILE INFO	-	
		•			

POTENTIAL HAZARD				DOUS WASTE SITE LIDE		CATION
SITE INSPECT			TION REPORT OT STATE OF STE HUMBER			
			PARTS - OPERATO		DAID	10079-00AT
TO ALL LOUGH ON MY MO SHAP TO E STA			<u></u>	OPERATOR'S PARENT COMPANY	F	
E CURRENT OPERATO	17. Provide I different frame		OZ D+B NUMBER	10 NAME		I I D+B NUMBER
\$ _	·		WE DIT SETECTION OF THE	n // \		= /
PLANT 15			104 SIC COO€	C TREET ADDRESS = 0.00 PT.		13 SIC COD€
03 STREET ADDRESS IP.O. &	a RFD 6 asc.)		us sauke	12 STREET ADORESS (F.O. 60. AFD F. 00.)		IS SK CARE
ठ ५ वा भ	·	OS STATE	67 Z¥° COOE	14 CITY	ISSIAIE	16 ZP CODE
		ŀ				
08 YEARS OF OPERATION	09 NAME OF OWNER					
·						
BIL PREVIOUS OPERAT	OR(S) (List most record for	at provide anh	y E dillamat inus comes	PREVIOUS OPERATORS' PARENT C	OMPANIES #	applicable)
OI NAME			02 0+8 NUMBER	10 MAME		110+B NUMBER
GMC-INL	Juso 1-	1	UHKHOWN	GENERAL MATTOCK	ORP	MA
DISTREEL ADDRESS (P.O. &		U DE	04 SIC 000€	GENERAL MOTORS C 12 STREET ADDRESS IP.O BOX AFOO. ONC.)	<u> </u>	13 SIC COD€
	_					1 ~ 1.4
1400 LOWEL	-i- <u>> 1</u>	D6 STATE I	DY ZP COOE	1.3044 W. GRAND 5	ا البالبية. Its State	16 ZIP CODE
1				l	MI	į.
ELY14A 08 YEARS OF OPERATION			44036	DETROIT	11/1-	48202
ž.	l .		2 LFIACIO	· ·		•
36	6m					
OT NAME			02 D+8 NUMBER	10 NAME		11 D+B NUMBER
NIF	7			N/A		
03 STREET ADDRESS (P.O. 60	A RED F. SEC. J		04 SIC COD€	12 STREET ADDRESS (P.O. BOL RED 4, GC.)		13 SIC COO€
			,	X		
DS CATY		06 STATE	07 ZIP COO€	14 CITY	15 STATE	16 ZP COOE
DE YEARS OF OFTERATION	09 NAME OF OWNER	DURWG THE	ISPERIOD .		<u> </u>	d
O1 MAKE	1		02 D+B MJA/BER	TO NAME		110+B NUMBER
/	10			NIA		
N			To4 SiC COO€	12 STREET ADDRESS P.C. S.C. MPP. SLJ		13 SIC CODE
03 STREET ADDRESS (P.O. &	or ned e. esc.)					
		Ton	Var to const	14 CITY		110 2000
osan		DE STATE	07 ZP COD€	10021	ISSIAN	16 2P CODE
		<u> </u>				
OB YEARS OF OFFERATION	D9 NAME OF OWNER	DURWG TH	IS PERIOD			
		<u></u>				
IV. SOURCES OF INFO	ORMATION (CE. DOC	ic polorescos.	e p. suit the temps weight	. reported		·
				(1		,
I FIT &	ST / C	4 7 . 11	TED 9	118190		•
			MATION	·		
	TILE -+ 1	71				
0-00	EU E T	- E704	emation			
DETA	T10-1-1-1	マャンド				
and the same of th			•			•
		-	•	V·		
			-		2	
Pa-1972444						
Marayana and an and an and an						
K						

	D.	OTENTIAL HAZAI	LIDENTIFICATION		
SEPA	•	SITE INSPEC	OH DOCHBUILDER		
VETA	PARTS		ansporter information	にはてお	DULGUICII
and a control too					
BLON-SITE GENERATOR		02 D+B MARBER			
•	t	•			
GMC-FISHER BODY TOUSTREET ADDRESS 1P.O. BOLL AFOR. OC.)	DIO.	OHE COME	1		
R .		i			
1400 LOWELL ST		UNICIONAL	4		
as arr	1 1	07 ZIP COO€			
ELYRIA	OH]	44036			
EL OFF-SITE GENERATOR(S)			,		
OI HASSE		DZ D+ B MUSICER	DI NAME	ľ	DZ D+B KLIMEK ER
N/A			N/A		
03 STREET ADDRESS (P.O. Sor, RFD P. exc.)		04 SIC COD€	03 STREET ADDRESS (P.O BOL RED P. ME.)		04 SIC COO€
1					
as ary	D6 STATE	07 25° COO€	05 CATY	OS STATE	07 ZEP COOE
					,
DI RASE		02 D+B NULGER	OT HAME		02D+B NUMBER
11/2	1		1 1/10		
N/A		To4 SiC co0€	03 STREET ADDRESS (P.O. Box R/D), ME)		04 SIC CODE
03 STREET ADDRESS (P.O. Acr., RFD F, etc.)		o se cobe	Control Portos (Fib. Bac N. 54, Mar.)		
	<u> </u>	07 ZIP COD€	las corre	IOG CTATE	07 ZIP COO E
05 CATY	No SIAIL	O/ ZIP COOK	os catr	~ 3. K. E	arr alti famoraria
		<u></u>			
N. TRANSPORTER(S)					<u> </u>
OT RAME	,	02 D+8 HR#45ER	OI NAME		02 D+B NEMBER
UNKNOWH .	•				
D3 STREET ADDRESS (P.O. Box, RFD#, orc.)	•	04 SEC COD€	03 STREET ADDRESS (P.O. Box, RFO 4, 4EL)		04 SIC COOE
RECITY	D6 STATE	07 22P COO€	os carry	08 STATE	07 ZIP COO€
	Į	1			·
CT NAME		02 D+8 HEALESER	O1 NAME		02 0+B MJ-8867
the a rate of the state of the			•		,
CONTROL ACCOUNTS OF THE PARTY O		104 SKC CODE	03 STREET ADDRESS (P.C. Box, RFO F, oc.)		04 SC COOE
CO STREET ADDRESS (P.O. BOLL RFD F. CAL.)					
	no et a	107 ZIP COD€	les cary	loe STATE	07 ZIP COD€
OS CITY	NO SIAN	TO APOLE	TO STATE TO		
		<u> </u>			
V. SOURCES OF INFORMATION CO.	elic relevences.	e.g. cost dec service sustance			
FIT SST C	SHV	CTED	7/18/90		
TIL JUNE	J. 1 W.		7.71.		
FIT FILE I	L CAD	WALTION!	•		•
I I TILE -		THE TOTAL		•	
DEPA FILE		- M 100 10 T7 N	N		•
1 UCTA FILE	7-14-	CACAMA 110	4		
·		•			
Water Control of the					
terperature and the state of th					
·					
2551 4454 -					
1			•		

	POTENTIAL HAZARDOUS WASTE SITE		L DENTIFICATION
	SITE INSPECTION REPORT		OI STATE OR SITE MUMBER
A SE CONTROL OF CA.	PART 10 - PAST RESPONSE ACTIVITIES	•	10000001091
IL PAST RESPONSE ACTIVITIES			
OT () A WATER SUPPLY CLOSED	OZ CATE	03 AGENCY	
04 DESCRIPTION			•
NA			
OI [] B. TELEPORARY WATER SUPPLY PRO	OWDED 02 DATE	03 AGENCY	
04 DESCRIPTION.			
01 C. PERMANENT WATER SUPPLY PRO		00.400	
04 DESCRIPTION	ANDED OZDATE	UJ AUENUT	
NA		•	
O1 D D. SPILLED WATERIAL REMOVED	02 DATE	03 AGENCY	
04 DESCRIPTION	•		
· MA			
01 () E CONTAMINATED SOL REMOVED 04 DESCRIPTION	02 DATE	03 AGENCY	
NIA			
01 D F. WASTE REPACKAGED	02 DATE	03 ACENOV	
04 DESCRIPTION	· ·	W AGGIC!	
NA			
01 C G WASTE DISPOSED ELSEWHERE	02 DATE	03 AGENCY	
04 DESCRIPTION			
NA			
01 D H. ON SITE BURIAL 04 DESCRIPTION	02 DATE	03 AGENCY	the days and the same and the s
NA		•	
OI D L IN STILL CHEMICAL TREATMENT	O2 DATE	03 400.00.	·
ON DE IN STU CHEMICAL TREATMENT	UZ LARIE	us Author	
NA			
OI D J. IN STU BIOLOGICAL TREATMENT	02 DATE	03 AGENCY	
04 DESCRIPTION			
N/A		·	
01 D K IN SITU PHYSICAL TREATMENT 04 DESCRIPTION	OS DATE	03 AGENCY	
A 7/M	• • • • • • • • • • • • • • • • • • • •		
01 EL BICAPSULATION	02 DATE	Q3 AGENCY	
04 DESCRIPTION			
N/A	•		
O1 D M. BMERGENCY WASTE TREATMENT O4 DESCRIPTION	OS DATE	03 AGENCY	
an I in			,
OLD N CUTOFF WALLS	AD SAIF	A SACTION	
ON DESCRIPTION	02 DATE	03 AGENCY	
A//A			
01 () O. EMERGENCY DIKING/SURFACE W	ATER DIVERSION 02 DATE	03 AGENCY	
04 DESCRIPTION		_ •	
N/A	·		
01 D P. CUTOFF TRENCHES/SUMP	Q2,DATE	03 AGENCY	
04 DESCRIPTION			
MA			
01 D Q. SUBSURFACE CUTOFF WALL 04 DESCRIPTION	CZ DATE	03 AGENCY	ſ <u></u>
AIN		•	
E-1 (100 2010 13 (7-81)		Annual Company of the	

A CONTRACTOR OF THE PROPERTY O	OTENTIAL HAZARDOUS WASTE SITE	L IDENTIFICATION
\$EPA	SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES	01 STATE 02 STE NEWBER 0H 1) 004201091
E PAST RESPONSE ACTIVITIES COM		
O1 D R. BARRER WALLS CONSTRUCTED	02 DATE	03 AGENCY
O4 DESCRIPTION		·
~/A		03 AGENCY
01 23 S. CAPPING/COVERING 04 DESCRIPTION	W DATE & PARTINGS 14	03 23401
CLAY		
O1 O T, BULK TANKAGE REPARED	O2 DATE	03 AGENCY
04 DESCRIPTION		
01 E U. GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION	OZ DATE	D3 AGENCY
k //n		
O1 [] V. BOTTOM SEALED	02 DATE	03 AGENCY
04 DESCRIPTION		
NA	02 DATE	
01 D W. GAS CONTROL 04 DESCRIPTION	02 DATE	03 AGENCY
n / In		
O1 D X FIRE CONTROL	02 DATE	03 AGENCY
04 DESCRIPTION		
NIA		
OI BY LEACHATE TREATMENT	02 DATE UNICHONH	03 AGENCY
04 DESCRIPTION	IND SECONDARY - ENGINEERI	ED LANDFILL
O1 C Z AREA EVACUATED	G2 DATE	03 AGENCY
04 DESCRIPTION		
NA		
01 () 1, ACCESS TO SITE RESTRICTED 04 DESCRIPTION	OZ DATE	03 AGENCY
NA		
01 D 2. POPULATION RELOCATED	02 DATE	03 AGENCY
04 DESCRIPTION		
W//-		03 AGENCY
OT () 3. OTHER REMEDIAL ACTIVITIES OF DESCRIPTION	O2 DATE	W AGENCT
NONE		
1001-1		
		•
- ·		
- Carpenda		
BL SCURCES OF INFORMATION (Co. 1000)	ences, e.g., state that, comple evelyals, records)	
BLOOM STATE OF THE		•
. captigraphic cap	• • • • • • • • • • • • • • • • • • • •	

EPA FORM 2070-13 (7-61)

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 11 - ENFORCEMENT INFORMATION

L EDENTIFICATION

OI STATE OZ STE MUABER

OH DOD 4201091

IL ENFORCEMENT INFORMATION

OI PAST REGULATORY/ENFORCEMENT ACTION X YES DINO

OZ DESCRIPTION OF FEDERAL STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

SPE SUBSELTION, 2-3 "SITE HISTORY"


RE SOCIECES OF INFORMATION FOR BOOK relevance CO. Date but sample reported


FIT FILE INFORMATION


A


APPENDIX C


FIT SITE PHOTOGRAPHS


























































.







FIELD PHOTOGRAPHY LOG SHERT PAGE OF 10 SITE NAME: GMC-Fischer Body DNISION Hyria Plant PAN: FOHO33158 TDD: FOS-9004-011 U.S. EPA ID: OHDOOGIZELOGI wastewater treatment plant PHOTOGRAPHED BY: C. Shulle DIRECTION OF PHOTOGRAPH: West DATE: 9/18/90 TIME: 16:20 WEATHER CONDITIONS: 75°F, SUNNY DESCRIPTION: Former GMC plant. Note GMC wastewater treatment plant at far night.

	FIELD PHOTOGRAPHY LOG SHEET	
SITE NAME: GMC-Fischer Body D	Vision Byria Plant	PAGE VOF (O
U.S. EPA ID: OHDOO4ZO1091	TDD: fas-9004-011	PAN: FOH 033158
	age (1989), the same of the	
		and an arrange and provide the second of the second of The second of the second of The second of the
DATE: 9/18/90 TIME: 10:15 DI	RECTION OF PHOTOGRAPH: NORTH PHOTOG	GRAPHED BY: C. Schultz
JEATHER CONDITIONS: 65°F, SUNN	full control of the second of	MPLE ID (if applicable):
DESCRIPTION: Areas "4" AND B	" COVERED WITH FICE IMPLESS	Mr. BOUNDARIES ARE
ESTIMATES ONLY.		
ESTIMATES ONLY.		
ESTIMATES ONLY.		

FIELD PHOTOGRAPHY LOG SHEET SITE NAME: GMC-Fischer Body Elyria Plant PAGE 3 OF (D PANI FOHO3315B U.S. EPA 10: 0HD004701091 TDD: FOS-9004-011 DATE: > 9/18/90 TIME: > 1300 DIRECTION OF PBOTOGRAPB: > EAST VEATHER COMPLITIONS > SUNNY PHOTOGRAPHED BY: > C. SCHULTE SAMPLE ID (if applicable):

DESCRIPTION: > APPROXIMATE BOUNDARY OF AREA "C"
> NOW COVERED WITH FULL MATERIAL.

PAGE 4 OF 10

U.S. EPA 10:0HD004Z01091 TOO: FOS-9004-011

PAN: FOHO331SB

DATE: > 9/18/90

TIME: > ZSS

DIRECTION OF PHOTOGRAPH:


VEATHER COMPLITIONS: > 75°F

> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):

DESCRIPTION: >



CLOSE UP OF SOIL SAMPLESI.

DATE: > 9/18/90

TIM: > [255]

DIRECTION OF PHOTOGRAPH:


WEATHER CONDITIONS:

2 SUMMY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):

DESCRIPTION: >



PERSPERTIVE OF SOIL SI. NOTE RORA

ENGINEERED LANDFILL IN THE BACKGROUND, COLLECT-

PAGE 5 OF LO

U.S. EPA ID: OHDO04701091 TOO: FOS-9004-011

PANE FOHO33/SB

DATE: > 9/18/90

TIME: > 255

DIRECTION OF PHOTOGRAPH:


VEATHER CONDITIONS:

> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):

DESCRIPTION: >



CLOSE UP OF SOIL SAMPLEST.

DATE: > 9/18/90

TIMB: > 255

DIRECTION OF PHOTOGRAPHI

VEATHER CONDITIONS:

> SUNNY


PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):

DESCRIPTION: >

PERSPECTIVE OF SOIL SAMPLE SZ

LOCARD IN AREA C:



11

PAGE & OF 10

U.S. EPA ID: OHD 004-201091___

TDD1 FOS-9004-011

PAN: FOHO33/SB

DATE: > 9/18/90

TIME: > 1355

DIRECTION OF PHOTOGRAPH:


WEST

VEATHER CONDITIONS

> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):



DESCRIPTION: >

CLOSE UP of S3. COLLEGED IN TREA

NOTE BRIGHT BLUE COLORING OF SOIL.

DATS: > 9/18/90

TIME: > 1355


DIRECTION OF PBOTOGRAPH: WEST

VEATEER CONDITIONS

> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):



DESCRIPTION: > PERSPECTIVE OF S3.

LEMOCO, MCG224 - MAIN

STATE OF

SITE NAME: GMC-Fischer Body Elyria Plant

PAGE 7 OF 10

U.S. EPA ID: OHDOO4701091 TOO: FOS-9004-011

PANI FOHO331SB

DATE: > 9/18/90

TIME: > 143S

DIRECTION OF PHOTOGRAPHI

VEST

VEATHER CONDITIONS 75°C

> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):

CLOSE UP OF SOIL SAMPLES4. NOTE

> BRIGHT BLUE SOIL. COLLECTED IN AREA "B"

ZAMPLE 3.4

DESCRIPTION: >

DATE: > 9/18/90 TIM: > 1435

DIRECTION OF PHOTOGRAPH: WEST

WEATHER CONDITIONS


> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):

DESCRIPTION: > PERSECTIVE

> of SOIL SAMPLE SA. GME PLANT IN BACKGEOUS



PAGE 8 OF LO

STATE OF

U.S. EPA ID: OHDOO4701091 TOO: FOS-904-011

PANI FOHO33ISB

DATE: > 9/18/90

TIME: > 515

DIRECTION OF PHOTOGRAPH: WEST


VEATBER CONDITIONS:

> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):

DESCRIPTION: >



AMPLE S.5

CHURTED FROM AREA

DATE: > 9/18/90

TINE: > 515


DIRECTION OF PHOTOGRAPH: W/EST

VEATHER CONDITIONS:

2 SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):



DESCRIPTION: > PERSPECTIVE OF 55. FOrmer GIME plant

in backaround

PAGE 9 OF 10

U.S. EPA 10:0HD004701091 TDD: FOS-9004-011

PINI FOHO331SB

DATE: > 9/18/90

TIME: > 1555

DIRECTION OF PHOTOGRAPH: WEST

VEATHER CONDITIONS:

> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):



DESCRIPTION: > CLOSE UP OF SOIL SAMPLE S6. COLLECTED

> FROM LOCATUN "A".

DATE: > 9/18/90

TIME: > 15555

DIRECTION OF PHOTOGRAPHI

WEST

VEATHER CONDITIONS


> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):

DESCRIPTION: > PERSPECTIVE OF SOIL SAMPLE SO.

FORMER FINE PLANT IN THE BACKGROUND.



19

PAGE 10 OF 10

U.S. EPA 10:0HD004701091 TOO1 FOS-9004-011

PANI FOHO331SB

DATE: > 9/18/90

TIME: > 1650

DIRECTION OF


PHOTOGRAPH:

VEATHER CONDITIONS:

> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):



DESCRIPTION: > CLOSE UP OF SOIL SAMPLE ST.

COLLECTED AS A BACKGROUND SOIL SAMPLE.

DATE: > 9/18/90

TIME: > 1650


DIRECTION OF PHOTOGRAPH: WEST

VEATHER CONDITIONS:

> SUNNY

PHOTOGRAPHED BY: > C. SCHULTE

SAMPLE ID (if applicable):



DESCRIPTION: > PERSPECTIVE OF SOIL SAMPLE ST.

COLLECTED IN A DERLOVOUS FOREST.

70

D

•

APPENDIX D

U.S. EPA TARGET COMPOUND LIST AND

TARGET ANALYTE LIST

QUANTITATION/DETECTION LIMITS

ADDENDUM A

ROUTINE ANALYTICAL SERVICES
CONTRACT REQUIRED DETECTION AND QUANTITATION LIMITS

Contract Laboratory Program Target Compound List Quantitation Limits

COMPOUND	CAS #	VATER	Soil Sedihent Sludge
Chloromethane	74-87-3	10 ug/L	10 ug/Kg
Bromomethane	74-83-9	10	10
Vinyl chloride .	75-01-4	10	10
Chloroethane	75-00-3	10	10
Methylene chloride	75-09-2	\$. Š
Acetone	67-64-1	10	
Carbon disulfide	75-15-0	\$.	5 5 5 5
1.1-dichloroethene	75-35-4	5	ζ
1,1-dichloroethane	75-34-3	5	
1,2-dichloroethene (total)	540-59-0	Š .	ξ.
Chloroform	67-66-3	5	Š
1,2-dichloroethane	107-06-2	5	Š
2-butanone (MBK)	78-93-3	10	10 -
1,1,1-trichloroethane	71-55-6	5	5
Carbon tetrachloride	56-23-5	Š	ร์
Vinyl acetate	108-05-4	10	10
Bromodichloromethane	75-27-4	5	
1.2-dichloropropane	78-87-5		
cis-1,3-dichloropropene	10061-01-5	5 5 5 5 5 5	\$ \$ \$ \$
Trichloroethene	79-01-6	5	- E
Dibrosochlorosethane	124-48-1	5	
1,1,2-trichloroethane	79-00-5	5	5
Benzene	71-43-2	\$	S
Trans-1,3-dichloropropene	10061-02-6	Š	Š
Brosofors	75-25-2	Š	
4-Rethyl-2-pentanone	108-10-1	10	3 10 -
2-Rexanose	591-78-6	10	10
Tetrachloroethene	127-18-4	5	
Tolene	108-88-3	Š	
1,1,2,2-tetrachloroethane	79-34-5	· §	₹
Chlorobensene	108-90-7	. 5	5 5 5
Ethyl bestene	100-41-4	, Š	*
Styreae	100-42-5	5	₹
Tylenes (total)	1330-20-7	5	Š

Table A Contract Laboratory Program Target Compound List Semivolatiles Quantitation Limits

			SOIL SEDIHENT
COHPOUND	CAS 8	VATER	SLUDGE
Phenol	108-95-2	10 og/L	330 ug/Kg
bis(2-Chloroethyl) ether	111-44-4	10	330
2-Chlorophenol	95-57-8	· 10	330
1,3-Dichlorobenzene	541-73-1	· 10	330
1,4-Dichlorobenzene	106-46-7	10	330
Benzyl Alcohol	100-51-6	10	330
1,2-Dichlorobenzene	95-50-1	10	330
2-Kethylphenol	95-48-7	10 ·	330
bis(2-Chloroisopropyl) ether	108-60-1	10	330
4-Kethylphenol	106-44-5	10	330
N-Nitroso-di-n-dipropylamine	621-64-7	10	330
Hexachloroethane	67-72-1	10	330
Ni trobenzene	98-95-3	10	330
Isophorone	78-59-1	10	330.
2-Nitrophenel	88-75-5	10	330
2,4-Dimethylphenol	105-67-9	10	330
Benzoic Acid	65-85-0	50	1600
bis(2-Chloroethoxy) methane	111-91-1	10	330
2,4-Dichlorophenol	120-83-2	10	330
1,2,4-Trichlorobensene	120-82-1	10	330
Naphthalene	91-20-3	10	330
4-Chlorosniline	106-47-8	10	330
Hexachlorobutadiene	87-68-3	10	300
4-Chloro-3-methylphenol	59-50-7	10	330
2-Nethylnaphthalene	91-57 -6	10	330
Hexachlorocyclopentadiene	77-47-4	10	330
2,4,6-Trichlorophesol	88-06-2	10	330
2,4,5-Trichlorophesol	95-95-4	50	1600
2-Chloronaphthalene	91-58-7	10	330
2-Mitrosmilime '	88-74-4	50	1600
Disethylphthalate	131-11-3	10	330
Acenephthylene	208-96-8	20	330
2.6-Dinitrotoluese	606-20-2	10	330
3-Witrosalline	99-0 9 -2	50	1600
Acenaphtheme	83-32-9	10	330
2,4-Dialtrophenol	51-28-5	50	1600
4-Hitrophesol	100-02-7	50	1600
Dibensoferan	132-64-9	10	330
2,4-Dinitrotoluese	121-14-2	10	330
Diethylphthelate	84-66-2	16	330
4-Chlorophenyl-phenyl ether	7005-72-3	10	330

Table A
Contract Laboratory Program.
Target Compound List
Semivolatiles Quantitation Limits

		,	Soil Sudge
COMPOUND	CAS #	· VATER	SEDIMENT
		4	*
Pluorene	86-73-7	10 mg/L	330 ug/Kg
4-Nitroaniline	100-01-6	50	1600
4,6-Dinitro-2-methylphenol	534-52-1	50	1600
N-nitrosodiphenylamine	86-30-6	10	330
4-Bromophenyl-phenylether	101-55-3	10	330
Rexachlorobenzene	118-74-1	10	330
Pentachlorophenol	87-86-5	50	1600
Phenan threne	8501 8	10	330
Anthracene .	120-12-7	10	330
Di-n-butylphthalate	84-74-2	10	330-
Pluoranthene	206-44-0	10	330
Pyrene	129-00-0	10	330
Butvlbenzylphthalate	85-68-7	10	330
3,3'-Dichlorobenzidine	91-94-1	20	660
Benzo(a)anthracene	56-55-3	10	330
Chrysene	218-01-9	10	330
bis(2-Ethylhexyl)phthalate	117-81-7	10	330
Di-a-octylphthalate	117-84-0	16	330
Benzo(b)fluoranthene	205-99-2	10	330
Benzo(k)fluoranthene	207-08-9	10	330
Benzo(a)pyrene	50-32-8	10	330
Indeno(1,2,3-cd)pyrene	193-39-5	10.	330
Dibenz(a,b)anthracene	53-70-3	10	330 330
Benzo(g,h,i)perylene	191-24-2	10	330

Table A
Contract Laboratory Program
Target Compound List
Pesticide and PCB Quantitation Limits

COMPOUND	CAS I	VATER	SOIL SEDIMENT SLUDGE
T. I. STA	316.61.2		
alpha-BBC	319-84-6	J\zu 0.00	.8 ug/Kg
beta-BBC	319-85-7	0.65	8
delta-BBC	319-86-8	. 0.05	8
gamma-BBC (Lindane)	58-89-9	0.65	8
Reptachlor	76-44-8	0.05	8
Aldrin	309-00-2	0.65	8
Heptachlor epoxide	1024-57-3	0.65	8
Endosulfan I	959 -98-8	0.05	8
Dieldrin	60-57-1	0.10	16
4,4'-DDE	72-55-9	0.10	16
Endrin	72-20-8	0.10	16
Endosulfan II	33213-65-9	0.19	16
4,4'-DOD	72-54-8	0.10	16
Endosulfan sulfate	1031-07-8	0.M	16
4,4'-DDT	50-29-3	0.10	16
Hethoxychlor (Mariate)	72-43-5	0.5	80
Endrin ketone	53494-70-5	0.10	16
alpha-Chlordane	5103-71-9	0.5	80
gaesa-chlordase	5103-74-2	0.5	80
Toxaphene	8001-35-2	1.0	160
AROCLOR-1016	12674-11-2	0.5	80
AROCLOR-1221	11104-28-2	0.5	80
AROCLOR-1232	11141-16-5	0.5	80
AROCLOR-1242	53469-21-9	0.5	80
AROCLOR-1248	12672-29-6	03	80
AROCLOR-1254	11097-69-1	1.0	160
AROCLOR-1260	11096-82-5	1.4	160

Table A (Cont.)

CONTRACT LABORATORY PROGRAM TARGET ANALYTE LIST (TAL) INORGANIC DETECTION LIMITS

	•	Detection Limits	
		Vater	Soil Sediment
Compound	Procedure	(µg/L)	Sludge (mg/kg)
luminum	ICP .	200	40
ntimony	furnace	60	2.4
arsenic	furnace	10	2
arium	ICP	200	40
beryllium	ICP	5	1
cadmium	`ICP	5	1
cacumum calcium	ICP	5,000	1,000
chromium	ICP	10	2
cobalt	ICP	50	10
cobber	ICP	25	5
iron	ICP	100	20
lead	furnace	5	1
magnesium	ICP	5,000	1,000
manganese	ICP	15	3
meicuty	cold vapor	0.2	0.008
nickel	ICP	40	8
potassium	ICP ·	5,000	1,000
selenium	furnace	5	1
silver	ICP	10	2
sodium	ICP	5,000	1,000
thallium	furnace	10	2
tin	IQ	40	8
vanadius	ICP	50	10
zinc zinc	IC	20	4
cyanide	color	10	2

3767:1

APPENDIX E

SOIL BORING LOGS OF THE SITE

PENN	Sharon Conglomerase		0.0.00	0-50
M _ Cuyaho	Cuyahoga Group	unconformity Meadville Shale	The second of th	30-250
S		Sharpsville Sandstone		5- 50
S S	•	Orangeville Shale		125
P P Berea Sa				- 559
14	Bedford	[1] 12 12 13 14 15 15 15 15 15 15 15		50-90
DE	Clevelan	•		20-100
DE VONIAN	———— unconform		The second of th	650


UNITS ENCOUNTERED IN DRILLING PROGRAM

SITE BORING LOG

PARTIAL REDLOSIC COLUMN FOR LOSSIN COUNTY

SITE BORING LOG

GEOLOGIC CROSS-SECTION GMC - FISHER GUIDE ELYRIA,OHIO



BCM LINE & BUTT NY AL

END OF BORNE

靈 三 👿

DEPTHE BITTE



11UNISUMIAL BCAIG VENICCAL ERAIDLINA KISS BB # WUITE